



THE UNIVERSITY  
*of* ADELAIDE

# Electroweak Supersymmetry with Recursive Jigsaw Reconstruction

## EARLY CAREER WORKSHOP

Jason Oliver




jason.oliver@adelaide.edu.au  
jaoliver@cern.ch



## The Basics

- Supersymmetry (SUSY) postulates there are (at least one) superpartner for all Standard Model particles
- Electroweak SUSY refers to the superpartners of the electroweak gauge boson (EWKinos) and sleptons
- The EWKinos mix to form mass eigenstates - **Charginos and Neutralinos**
- In some situations electroweak production has higher cross sections and cleaner signatures than strong production - we should look there too!





Neutralinos under certain conditions are **Dark Matter Candidates!**


## Motivation

- In 2015-2016 an analysis targeting electroweak SUSY in 2 and 3 lepton final states found [excesses](#) in 4 orthogonal regions

- **SR2L\_LOW**
- **SR2L\_ISR**
- **SR3L\_LOW**
- **SR3L\_ISR**

- The analysis was frozen and a follow-up was issued






Targeting a mass degenerate  
Wino-like Chargino-1 &  
Bino-like Neutralino-2 production

The Chargino decays to a W boson and  
Neutralino-1

We design our analysis around the **W  
boson decays**




$j$  **Optional ISR**



Leptonically - 3 lepton  
Hadronically - 2 lepton


$\tilde{\chi}_1^0$   
 $\tilde{\chi}_1^0$

## Standard decay tree




SR2L\_LOW & SR3L\_LOW


## ISR decay tree



SR2L\_ISR & SR3L\_ISR




(LAB) Signature






An **event** defined in the  $\text{PP}$  frame




Arrows are object's four vectors in the  $\text{PP}$  frame

**Vector** Sum of Visible + Invisibles



**Scalar** Sum of Visible + Invisibles




We take **ratios** of these quantities






## PP frame drift - $R_{PT}$

An **event** defined in the **PP** frame



Arrows are object's four vectors in the **PP** frame



## Momentum proportion of **PP** frame


$$R_{PT} = \frac{p_{T,PP}^{LAB}}{p_{T,PP}^{LAB} + H_{T,4,1}^{PP}}$$

Smaller = better reconstruction




We do not want **jets** to be in the direction of **MET**

An **event** defined in the **LAB** frame





Arrows are object's four vectors in the **LAB** frame



$$\min\Delta\phi(j_1/j_2, \vec{P}_T^{\text{miss}}) > 2.4$$




(Not RJ, but we use it)



**Transverse** Components Only



$$R_{ISR} = \frac{|\vec{p}_{T,I}^{CM} \cdot \hat{p}_{T,ISR}^{CM}|}{|\vec{p}_{T,ISR}^{CM}|}$$



The background of the slide is a blurred photograph. The top portion shows a clear blue sky above a building with a pointed roof. The bottom portion shows a green lawn with a path leading towards the building.

# Our Analysis Approach



The goal for signal region design is **Signal/Background**



Major backgrounds:

- ✓ Diboson
- ✓ Top-antitop production
- ✓ Z+jets




Major backgrounds:

- ✓ Diboson


For both **Standard** and **ISR** regions




## Our 2L background estimation strategy



## Our 2L background estimation strategy









(a)  $p_T^{j_1}$

(b)  $H_{4,1}^{PP}$




(c)  $R_{p_T}$



(d)  $\min(H_{1,1}^{Pa}, H_{1,1}^{Pb}) / \min(H_{2,1}^{Pa}, H_{2,1}^{Pb})$


Figure 4.36: CR2ℓ-VV: General modelling for  $p_T^{j_1}$  in (a). We show  $H_{4,1}^{PP}$  in (b). In (c) we show  $R_{p_T}$ . In (d) we show  $\min(H_{1,1}^{Pa}, H_{1,1}^{Pb}) / \min(H_{2,1}^{Pa}, H_{2,1}^{Pb})$ .

Great modelling in control regions




(a)  $p_T^{j_1}$

(b)  $H_{4,1}^{PP}$




(c)  $R_{p_T}$




(d)  $\min(H_{1,1}^{Pa}, H_{1,1}^{Pb}) / \min(H_{2,1}^{Pa}, H_{2,1}^{Pb})$

Figure 4.37: CR2ℓ-Top: General modelling for  $p_T^{j_1}$  in (a). We show  $H_{4,1}^{PP}$  in (b). In (c) we show  $R_{p_T}$ . In (d) we show  $\min(H_{1,1}^{Pa}, H_{1,1}^{Pb}) / \min(H_{2,1}^{Pa}, H_{2,1}^{Pb})$ .



(a)  $R_{ISR}$

(b)  $P_T^{CM}$




(c)  $P_T^{ISR}$

(d)  $P_T^I$


Figure 4.38: CR2ℓ\_ISR-VV: General modelling for  $R_{ISR}$  in (a). We show  $P_T^{CM}$  in (b). In (c) we show  $P_T^{ISR}$ . In (d) we show  $P_T^I$ .

Great modelling in control regions



(a)  $R_{ISR}$

(b)  $P_T^{CM}$




(c)  $P_T^{ISR}$

(d)  $P_T^I$

Figure 4.39: CR2ℓ\_ISR-Top: General modelling for  $R_{ISR}$  in (a). We show  $P_T^{CM}$  in (b). In (c) we show  $P_T^{ISR}$ . In (d) we show  $P_T^I$ .



## Our 2L background estimation strategy





- Our Z+jets estimation problem



- ✗ Models data poorly in SR
- ✗ Large uncertainties
- ✗ Generator weights  
Incredibly large

## **Common problem:**


“We can’t simulate this well, what do we do?”

**Answer:** Let the data tell you what’s happening!

## Overview of the Method

1. Define your SR
2. Define regions A, B, C, and D
3. Calculate a data-driven estimate by subtracting non-Z+jets from data
4. Calculate an estimate in your SR (C)
5. Account for systematic uncertainties by varying boundaries and non-dominant cross sections

## 2D ABCD plane



## Data driven estimate

$$N_i = D_i - MC_i^{\text{non } Z+\text{jets}}$$

Relate the different regions via:


$$\frac{N_A}{N_B} = \frac{N_C}{N_D} \rightarrow N_C = N_D \times \frac{N_A}{N_B}$$



➤ Our Z+jets estimation problem



- ✗ Models data poorly in SR
- ✗ Large uncertainties
- ✗ Generator weights Incredibly large



- ✓ Independent on Z+jets MC
- ✓ Smaller uncertainties
- ✗ Only estimate, no modelling

## COMPARISON


### Standard region estimate

Region	STAT+SYS
$N_{ABCD}^{Z+jets}$	$29.24 \pm 7.64$
$N_{mjj}^{Z+jets}$	$28.14 \pm 17.3$
$N_{MC}^{Z+jets}$ (STAT)	$42.20 \pm 17.23$

### ISR region estimate


Region	STAT+SYS
$N_{ABCD}^{Z+jets}$	$12.86 \pm 7.48$
$N_{mjj}^{Z+jets}$	$13.37 \pm 18.27$
$N_{MC}^{Z+jets}$ (STAT)	$17.57 \pm 1.82$

## Our 2L background estimation strategy



- Background estimate in the signal region
- How consistent the data is w.r.t background estimates
  - Z-score (sigma)
  - How many signal events could be present at 95% confidence

## Our 3L background estimation strategy







## Concluding Remarks

- Electroweak supersymmetry is and remains an interesting benchmark scenario
- We are following up on these two EWK regions from the 2015-2016 dataset
- By using Data-driven techniques we've improved upon passed results
- There is still plenty to learn : - )
- The next decade of the LHC is primed to be an interesting one!

The background is a soft-focus photograph of a university campus. In the foreground, there are vibrant purple wisteria flowers. A paved walkway leads towards a large, historic-style building with a prominent steeple in the distance. The sky is a clear, bright blue.

**Thanks for the  
Opportunity to Speak!**





# Additional Material








How do we split the MET ?

 We apply “**Jigsaw Rules**”

 We set the pseudrapidity of **invisibles (Ia+Ib)** to the **visibles (ℓℓ+ℓ)** for each branch


 Minimise the mass of **(Ia+Ib)**


 Require Chargino-1 and Neutralino-2 to be the same mass







How do we determine **ISR** ?

 We apply a **Jigsaw Rule**

 We add take all combinations of jets into **ISR** and **VIS** and assign based on the minimum mass combination





## Muon definitions

- We use eta 2.4 not 2.7 as recommended (frozen object)
- Moved to FCTight from GradientLoose (not supported)

## Electron definitions

- We moved to FCTight from GradientLoose (not supported)

## Jet definitions

- We use eta 2.4 not 2.7 as recommended (frozen object)

**Table 4.2:** Summary of the muon selection criteria. The signal selection requirements are applied in addition to the baseline selection criteria, and take place after overlap removal.

Category	Acceptance	PID Quality	Isolation	Impact Parameter
Baseline Muon	$p_T > 10 \text{ GeV}$ $ \eta^{\text{clust}}  < 2.40$	Medium	-	$ z_0 \sin \theta  < 0.5 \text{ mm}$
Signal Muon	$p_T > 10 \text{ GeV}$ $ \eta^{\text{clust}}  < 2.40$	Medium	FixedCutTight	$ z_0 \sin \theta  < 0.5 \text{ mm}$ $ d_0 / \sigma_{d_0}  < 3$

**Table 4.3:** Summary of the electron selection criteria. The signal selection requirements are applied in addition to the baseline selection criteria, and take place after overlap removal.

Category	Acceptance	PID Quality	Isolation	Impact Parameter
Baseline Electron	$p_T > 10 \text{ GeV}$ $ \eta^{\text{clust}}  < 2.47$	LooseAndBLayerLLH	- -	$ z_0 \sin \theta  < 0.5 \text{ mm}$
Signal Electron	$p_T > 10 \text{ GeV}$ $ \eta^{\text{clust}}  < 2.47$	LLHMedium	FixedCutTight	$ z_0 \sin \theta  < 0.5 \text{ mm}$ $ d_0 / \sigma_{d_0}  < 5$

**Table 4.4:** Summary of the jet and  $b$ -jet selection criteria. The signal selection requirements are applied in addition to baseline requirements. Signal  $b$ -jet selection is in addition to the signal requirements. These requirements take place after overlap removal. \* JVT is only applied for jets with  $p_T < 60 \text{ GeV}$  and  $|\eta| < 2.4$ .

Category	Collection	Acceptance	JVT	$b$ -tagger Algorithm	Efficiency
Baseline jet	AntiKt4EMTopo	$p_T > 20 \text{ GeV},  \eta  < 4.5$	-	-	-
Signal jet	AntiKt4EMTopo	$p_T > 20 \text{ GeV},  \eta  < 2.4$	$ \text{JVT}  > 0.59^*$	-	-
Signal $b$ -jet	AntiKt4EMTopo	$p_T > 20 \text{ GeV},  \eta  < 2.4$	$ \text{JVT}  > 0.59^*$	MV2c10	77%






**Table 4.7:** The two lepton preselection regions defined to validate our MC modelling of the run-II ATLAS dataset.





Region	Selection	$N_{Jets}$	$p_T^{\ell_1}$ [GeV]	$p_T^{\ell_2}$ [GeV]	$p_T^{j_1}$ [GeV]	$p_T^{j_2}$ [GeV]	$m_{\ell\ell}/M_Z$ [GeV]	$m_{jj}/M_J$ [GeV]
RJ2 $\ell$ A	$l^\pm l^\mp$	= 2	> 25	> 25	> 30	> 30	$\in [80, 100]$	$\in [60, 100]$
RJ2 $\ell$ B	$l^\pm l^\mp$	$\geq 2$	> 25	> 25	> 30	> 30	$\in [80, 100]$	$\in [60, 100]$

**Table 4.8:** The three lepton preselection regions defined to validate our MC modelling of the run-II ATLAS dataset.

Region	Selection	$N_{Jets}$	$p_T^{\ell_1}$ [GeV]	$p_T^{\ell_2}$ [GeV]	$p_T^{\ell_3}$ [GeV]	$m_{\ell\ell}$ [GeV]	$m_T^W$ [GeV]
RJ3 $\ell$ A	$l^\pm l^\mp l$	$\geq 0$	> 25	> 25	> 20	$\in [75, 105]$	> 50
RJ3 $\ell$ B	$l^\pm l^\mp l$	> 0	> 25	> 25	> 20	$\in [75, 105]$	> 50



Preselection modelling looks good







THE UNIVERSITY  
*of* ADELAIDE

# Triggers and Monte Carlo



We use standard dilepton triggers

- ee triggers
- e mu triggers
- mu mu triggers



## Summary of triggers

Year	$ee$ trigger	$\mu\mu$ trigger	$e\mu$ trigger
2015	2e12_lhloose_L12EM10VH	2mu10	e17_lhloose_mu14
2016	2e17_lhvloose_nod0	mu22_mu8noL1 or 2mu14	e17_lhloose_nod0_mu14 or e7_lhmedium_nod0_mu24
2017	2e17_lhvloose_nod0 or 2e24_lhvloose_nod0	mu22_mu8noL1 or 2mu14	e17_lhloose_nod0_mu14 or e7_lhmedium_nod0_mu24
2018	2e17_lhvloose_nod0 or 2e24_lhvloose_nod0	mu22_mu8noL1 or 2mu14	e17_lhloose_nod0_mu14 or e7_lhmedium_no0_mu24

Table 4.1: The SUSY signals and the Standard Model background MC samples used in this search. The generators, the order in  $\alpha_s$  of cross-section calculations used for yield normalization, PDF sets, parton showers and parameter tunes used for the underlying event are shown.

## Summary of Monte Carlo Generators



Physics process	Generator	Cross-section normalization	PDF set	Parton shower	Tune
SUSY processes	MADGRAPH v2.2.3	NLO+NNL	NNPDF2.3LO	PYTHIA 8.186	A14
$Z/\gamma^*(\rightarrow \ell\ell) + \text{jets}$	SHERPA 2.2.1	NNLO	NNPDF3.0NNLO	SHERPA	SHERPA default
$\gamma + \text{jets}$	SHERPA 2.1.1	LO	CT10	SHERPA	SHERPA default
$H(\rightarrow \tau\tau), H(\rightarrow WW)$	POWHEG-Box v2	NLO	CTEQ6L1	PYTHIA 8.186	A14
$HW, HZ$	MG5_aMC@NLO 2.2.2	NLO	NNPDF2.3LO	PYTHIA 8.186	A14
$t\bar{t} + H$	MG5_aMC@NLO 2.2.2	NLO	CTEQ6L1	HERWIG 2.7.1	A14
$t\bar{t}$	POWHEG-Box v2	NNLO+NNLL	CT10	PYTHIA 6.428	Perugia2012
Single top ( $Wt$ -channel)	POWHEG-Box v2	NNLO+NNLL	CT10	PYTHIA 6.428	Perugia2012
Single top ( $s$ -channel)	POWHEG-Box v2	NLO	CT10	PYTHIA 6.428	Perugia2012
Single top ( $t$ -channel)	POWHEG-Box v1	NLO	CT10f4	PYTHIA 6.428	Perugia2012
Single top ( $Zt$ -channel)	MG5_aMC@NLO 2.2.1	LO	CTEQ6L1	PYTHIA 6.428	Perugia2012
$t\bar{t} + W/WW$	MG5_aMC@NLO 2.2.2	NLO	NNPDF2.3LO	PYTHIA 8.186	A14
$t\bar{t} + Z$	MG5_aMC@NLO 2.2.3	NLO	NNPDF2.3LO	PYTHIA 8.186	A14
$WW, WZ, ZZ$	SHERPA 2.2.1	NLO	NNPDF30NNLO	SHERPA	SHERPA default
$V\gamma$	SHERPA 2.1.1	LO	CT10	SHERPA	SHERPA default
Triboson	SHERPA 2.2.1	NLO	NNPDF30NNLO	SHERPA	SHERPA default



THE UNIVERSITY  
*of* ADELAIDE

# R20 Region Breakdowns



Signal region	SR2 $\ell$ _High	SR2 $\ell$ _Int	SR2 $\ell$ _Low	SR2 $\ell$ _ISR
Total observed events	0	1	19	11
Total background events	$1.9 \pm 0.8$	$2.4 \pm 0.9$	$8.4 \pm 5.8$	$2.7^{+2.8}_{-2.7}$
Other	$0.02 \pm 0.01$	$0.05^{+0.12}_{-0.05}$	$0.02^{+1.07}_{-0.02}$	$0.06^{+0.33}_{-0.06}$
Fit output, $Wt + t\bar{t}$	$0.00 \pm 0.00$	$0.00 \pm 0.00$	$0.57 \pm 0.20$	$0.28^{+0.34}_{-0.28}$
Fit output, $VV$	$1.8 \pm 0.7$	$2.4 \pm 0.8$	$1.5 \pm 0.9$	$2.3 \pm 1.1$
Z+jets	$0.07^{+0.78}_{-0.07}$	$0.00^{+0.74}_{-0.00}$	$6.3 \pm 5.8$	$0.10^{+2.58}_{-0.10}$
Fit input, $Wt + t\bar{t}$	0.00	0.00	0.63	0.28
Fit input, $VV$	1.9	2.6	1.6	2.4

Signal region	SR3 $\ell$ _High	SR3 $\ell$ _Int	SR3 $\ell$ _Low	SR3 $\ell$ _ISR
Total observed events	2	1	20	12
Total background events	$1.1 \pm 0.5$	$2.3 \pm 0.5$	$10 \pm 2$	$3.9 \pm 1.0$
Other	$0.03^{+0.07}_{-0.03}$	$0.04 \pm 0.02$	$0.02^{+0.34}_{-0.02}$	$0.06^{+0.19}_{-0.06}$
Triboson	$0.19 \pm 0.07$	$0.32 \pm 0.06$	$0.25 \pm 0.03$	$0.08 \pm 0.04$
Fit output, $VV$	$0.83 \pm 0.39$	$1.9 \pm 0.5$	$10 \pm 2$	$3.8 \pm 1.0$
Fit input, $VV$	0.76	1.8	9.2	3.4



THE UNIVERSITY  
*of* ADELAIDE

# Region Definitions



Table 2: Preselection criteria for the three standard-decay-tree  $2\ell$  SRs and the associated CRs and VRs. The variables are defined in the text.

Region	$n_{\text{leptons}}$	$n_{\text{jets}}$	$n_{b\text{-tag}}$	$p_{\text{T}}^{\ell_1, \ell_2}$ [GeV]	$p_{\text{T}}^{j_1, j_2}$ [GeV]	$m_{\ell\ell}$ [GeV]	$m_{jj}$ [GeV]	$m_{\text{T}}^W$ [GeV]
CR2 $\ell$ -VV	$\in [3, 4]$	$\geq 2$	=0	$> 25$	$> 30$	$\in (80, 100)$	$> 20$	$\in (70, 100)$
CR2 $\ell$ -Top	= 2	$\geq 2$	=1	$> 25$	$> 30$	$\in (80, 100)$	$\in (40, 250)$	if $n_{\text{leptons}} = 3$ –
VR2 $\ell$ -VV	= 2	$\geq 2$	=0	$> 25$	$> 30$	$\in (80, 100)$	$\in (40, 70)$ or $\in (90, 500)$	–
VR2 $\ell$ -Top	= 2	$\geq 2$	=1	$> 25$	$> 30$	$\in (20, 80)$ or $> 100$	$\in (40, 250)$	–
SR2 $\ell$ _High	= 2	$\geq 2$	= 0	$> 25$	$> 30$	$\in (80, 100)$	$\in (60, 100)$	–
SR2 $\ell$ _Int	= 2	$\geq 2$	= 0	$> 25$	$> 30$	$\in (80, 100)$	$\in (60, 100)$	–
SR2 $\ell$ _Low	= 2	= 2	= 0	$> 25$	$> 30$	$\in (80, 100)$	$\in (70, 90)$	–

The ISR regions are further defined with a series of requirements based on the variables reconstructed from the compressed decay tree. These requirements are listed in Table 5. The ISR SR is defined by requiring a highly energetic ISR jet system which recoils against the entire signal system in the CM frame. In VR2 $\ell$ \_ISR-VV the  $m_Z$  requirement is inverted in order to be orthogonal to the CR2 $\ell$ \_ISR-VV. The top CRs (CR2 $\ell$ \_ISR-Top) and VR (VR2 $\ell$ \_ISR-Top) are defined with a  $b$ -tag jet requirement and have broader  $m_Z$  and  $m_j$  windows. The broader mass windows help to increase the numbers of data

Table 3: Selection criteria for the three standard-decay-tree  $2\ell$  SRs and the associated CRs and VRs. The variables are defined in the text

Region	$H_{4,1}^{\text{PP}}$ [GeV]	$H_{1,1}^{\text{PP}}$ [GeV]	$\frac{p_{\text{T}}^{\text{lab}}}{p_{\text{T}}^{\text{PP}} + H_{4,1}^{\text{PP}}}$	$\frac{\min(H_{1,1}^{\text{P}_a}, H_{1,1}^{\text{P}_b})}{\min(H_{2,1}^{\text{P}_a}, H_{2,1}^{\text{P}_b})}$	$\frac{H_{1,1}^{\text{PP}}}{H_{4,1}^{\text{PP}}}$	$\Delta\phi_V^{\text{P}}$	$\min\Delta\phi(j_1/j_2, \vec{p}_{\text{T}}^{\text{miss}})$
CR2 $\ell$ -VV	$> 200$	–	$< 0.05$	$> 0.2$	–	$\in (0.3, 2.8)$	–
CR2 $\ell$ -Top	$> 400$	–	$< 0.05$	$> 0.5$	–	$\in (0.3, 2.8)$	–
VR2 $\ell$ -VV	$> 400$	$> 250$	$< 0.05$	$\in (0.4, 0.8)$	–	$\in (0.3, 2.8)$	–
VR2 $\ell$ -Top	$> 400$	–	$< 0.05$	$> 0.5$	–	$\in (0.3, 2.8)$	–
SR2 $\ell$ _High	$> 800$	–	$< 0.05$	$> 0.8$	–	$\in (0.3, 2.8)$	–
SR2 $\ell$ _Int	$> 600$	–	$< 0.05$	$> 0.8$	–	$\in (0.6, 2.6)$	–
SR2 $\ell$ _Low	$> 400$	–	$< 0.05$	–	$\in (0.35, 0.60)$	–	$> 2.4$



Table 4: Preselection criteria for the compressed-decay-tree  $2\ell$  SR and the associated CRs and VRs. The variables are defined in the text.

Region	$n_{\text{leptons}}$	$N_{\text{jet}}^{\text{ISR}}$	$N_{\text{jet}}^{\text{S}}$	$n_{\text{jets}}$	$n_{b\text{-tag}}$	$p_{\text{T}}^{\ell_1, \ell_2}$ [GeV]	$p_{\text{T}}^{j_1, j_2}$ [GeV]
CR2 $\ell$ _ISR-VV	$\in [3, 4]$	$\geq 1$	$\geq 2$	$> 2$	$= 0$	$> 25$	$> 30$
CR2 $\ell$ _ISR-Top	$= 2$	$\geq 1$	$= 2$	$\in [3, 4]$	$= 1$	$> 25$	$> 30$
VR2 $\ell$ _ISR-VV	$\in [3, 4]$	$\geq 1$	$\geq 2$	$\geq 3$	$= 0$	$> 25$	$> 20$
VR2 $\ell$ _ISR-Top	$= 2$	$\geq 1$	$= 2$	$\in [3, 4]$	$= 1$	$> 25$	$> 30$
VR2 $\ell$ _ISR-Zjets	$= 2$	$\geq 1$	$\geq 1$	$\in [3, 5]$	$= 0$	$> 25$	$> 30$
SR2 $\ell$ _ISR	$= 2$	$\geq 1$	$= 2$	$\in [3, 4]$	$= 0$	$> 25$	$> 30$

Table 5: Selection criteria for the compressed-decay-tree  $2\ell$  SR and the associated CRs and VRs. The variables are defined in the text.

Region	$m_Z$ [GeV]	$m_J$ [GeV]	$\Delta\phi_{\text{ISR}, I}^{\text{CM}}$	$R_{\text{ISR}}$	$p_{\text{T}}^{\text{CM}}_{\text{ISR}}$ [GeV]	$p_{\text{T}}^{\text{CM}}_{\text{I}}$ [GeV]	$p_{\text{T}}^{\text{CM}}$ [GeV]
CR2 $\ell$ _ISR-VV	$\in (80, 100)$	$> 20$	$> 2.0$	$\in (0.0, 0.5)$	$> 50$	$> 50$	$< 30$
CR2 $\ell$ _ISR-Top	$\in (50, 200)$	$\in (50, 200)$	$> 2.8$	$\in (0.4, 0.75)$	$> 180$	$> 100$	$< 20$
VR2 $\ell$ _ISR-VV	$\in (20, 80)$ or $> 100$	$> 20$	$> 2.0$	$\in (0.0, 1.0)$	$> 70$	$> 70$	$< 30$
VR2 $\ell$ _ISR-Top	$\in (50, 200)$	$\in (50, 200)$	$> 2.8$	$\in (0.4, 0.75)$	$> 180$	$> 100$	$> 20$
VR2 $\ell$ _ISR-Zjets	$\in (80, 100)$	$< 50$ or $> 110$	–	–	$> 180$	$> 100$	$< 20$
SR2 $\ell$ _ISR	$\in (80, 100)$	$\in (50, 110)$	$> 2.8$	$\in (0.4, 0.75)$	$> 180$	$> 100$	$< 20$



Table 6: Preselection criteria for the  $3\ell$  CR, VR and SR with the standard decay tree. The variables are defined in the text.

Region	$n_{\text{leptons}}$	$n_{\text{jets}}$	$n_{b\text{-tag}}$	$p_{\text{T}}^{\ell_1}$ [GeV]	$p_{\text{T}}^{\ell_2}$ [GeV]	$p_{\text{T}}^{\ell_3}$ [GeV]
CR $3\ell$ -VV	= 3	< 3	= 0	> 60	> 40	> 30
VR $3\ell$ -VV	= 3	< 3	= 0	> 60	> 40	> 30
SR $3\ell$ _High	= 3	< 3	= 0	> 60	> 60	> 40
SR $3\ell$ _Int	= 3	< 3	= 0	> 60	> 50	> 30
SR $3\ell$ _Low	= 3	= 0	= 0	> 60	> 40	> 30

Table 7: Selection criteria for the  $3\ell$  CR, VR and SR with the standard decay tree. The variables are defined in the text.

Region	$m_{\ell\ell}$ [GeV]	$m_{\text{T}}^W$ [GeV]	$H_{3,1}^{\text{PP}}$ [GeV]	$\frac{p_{\text{T}}^{\text{lab}}}{p_{\text{T}}^{\text{lab}} + H_{3,1}^{\text{PP}}}$	$\frac{H_{\text{T } 3,1}^{\text{PP}}}{H_{3,1}^{\text{PP}}}$	$\frac{H_{1,1}^{\text{P}_b}}{H_{2,1}^{\text{P}_b}}$
CR $3\ell$ -VV	$\in (75, 105)$	$\in (0, 70)$	> 250	< 0.2	> 0.75	–
VR $3\ell$ -VV	$\in (75, 105)$	$\in (70, 100)$	> 250	< 0.2	> 0.75	–
SR $3\ell$ _High	$\in (75, 105)$	> 150	> 550	< 0.2	> 0.75	> 0.8
SR $3\ell$ _Int	$\in (75, 105)$	> 130	> 450	< 0.15	> 0.8	> 0.75
SR $3\ell$ _Low	$\in (75, 105)$	> 100	> 250	< 0.05	> 0.9	–





Table 8: Preselection criteria for the  $3\ell$  CR, VR and SR with the compressed decay tree. The variables are defined in the text.

Region	$n_{\text{leptons}}$	$n_{\text{jets}}$	$n_{b\text{-tag}}$	$p_T^{\ell_1}$ [GeV]	$p_T^{\ell_2}$ [GeV]	$p_T^{\ell_3}$ [GeV]
CR $3\ell$ _ISR-VV	= 3	$\geq 1$	= 0	> 25	> 25	> 20
VR $3\ell$ _ISR-VV	= 3	$\geq 1$	= 0	> 25	> 25	> 20
SR $3\ell$ _ISR	= 3	$\in [1, 3]$	= 0	> 25	> 25	> 20

Table 9: Selection criteria for the  $3\ell$  CR, VR and SR with the compressed decay tree. The variables are defined in the text.

Region	$m_{\ell\ell}$ [GeV]	$m_T^W$ [GeV]	$\Delta\phi_{\text{ISR},I}^{\text{CM}}$	$R_{\text{ISR}}$	$p_{T\text{ISR}}^{\text{CM}}$ [GeV]	$p_{T1}^{\text{CM}}$ [GeV]	$p_T^{\text{CM}}$ [GeV]
CR $3\ell$ _ISR-VV	$\in (75, 105)$	< 100	> 2.0	$\in (0.55, 1.0)$	> 80	> 60	< 25
VR $3\ell$ _ISR-VV	$\in (75, 105)$	> 60	> 2.0	$\in (0.55, 1.0)$	> 80	> 60	> 25
SR $3\ell$ _ISR	$\in (75, 105)$	> 100	> 2.0	$\in (0.55, 1.0)$	> 100	> 80	< 25



THE UNIVERSITY  
*of* ADELAIDE

# 3L RJ treatment

